

Table 1.3

64-Year Trends in U.S. Cancer Death Rates^a

All Races, Males and Females

All Primary Cancer Sites Combined

| Age Group | 1950 | 1982 | 2013 | Annual Percent Change | | Total Percent Change |
|------------|---------|---------|---------|--------------------------|-----------|----------------------------|
| | | | | 1950-1982 | 1982-2013 | 1950-2013 |
| Ages 0-4 | 11.1 | 4.4 | 2.0 | -3.2* | -2.4* | -82.2 |
| Ages 5-14 | 6.7 | 4.2 | 2.2 | -1.6* | -1.9* | -67.4 |
| Ages 15-24 | 8.6 | 5.8 | 3.4 | -1.2* | -1.5* | -60.8 |
| Ages 25-34 | 20.4 | 13.5 | 8.7 | -1.4* | -1.6* | -57.5 |
| Ages 35-44 | 63.6 | 48.2 | 27.8 | -0.8* | -1.9* | -56.3 |
| Ages 45-54 | 174.2 | 171.4 | 102.1 | 0.0 | -1.8* | -41.4 |
| Ages 55-64 | 391.3 | 435.5 | 286.0 | 0.4* | -1.6* | -26.9 |
| Ages 65-74 | 710.0 | 832.7 | 630.4 | 0.5* | -1.0* | -11.2 |
| Ages 75-84 | 1,167.2 | 1,249.3 | 1,129.0 | 0.2* | -0.4* | -3.3 |
| Ages 85+ | 1,450.7 | 1,598.7 | 1,637.2 | 0.3* | 0.1 | 12.9 |
| All Ages | 195.4 | 208.3 | 163.0 | 0.2* | -0.9* | -16.6 |

Lung and Bronchus Cancer^b

| Age Group | 1950 | 1982 | 2013 | Annual Percent Change | | Total Percent Change |
|------------|------|-------|-------|--------------------------|-----------|----------------------------|
| | | | | 1950-1982 | 1982-2013 | 1950-2013 |
| Ages 0-4 | - | - | - | - | - | - |
| Ages 5-14 | - | - | - | - | - | - |
| Ages 15-24 | 0.2 | 0.1 | 0.1 | -2.8* | -0.2 | -67.6 |
| Ages 25-34 | 0.8 | 0.7 | 0.3 | -0.6* | -2.5* | -63.7 |
| Ages 35-44 | 4.6 | 8.9 | 2.8 | 2.3* | -3.0* | -38.9 |
| Ages 45-54 | 20.2 | 52.1 | 22.8 | 3.1* | -2.7* | 12.7 |
| Ages 55-64 | 48.9 | 143.4 | 79.4 | 3.2* | -2.3* | 62.6 |
| Ages 65-74 | 59.4 | 246.3 | 201.6 | 4.1* | -0.7* | 239.3 |
| Ages 75-84 | 55.4 | 255.0 | 327.3 | 4.8* | 0.7* | 491.0 |
| Ages 85+ | 42.3 | 187.4 | 320.8 | 5.1* | 1.7* | 658.6 |
| All Ages | 14.9 | 51.7 | 43.5 | 3.8* | -0.7* | 190.9 |

Source: US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^a Rates are per 100,000 and age-adjusted to the 2000 US Std Population (18 age groups - Census P25-1130).

^b Due to coding changes throughout the years, Lung and Bronchus includes trachea and pleura.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval.

Trend based on less than 10 cases for at least one year within the time interval.